

ANTIFEN 2 COMPLETE

Food for Special Medical Purposes

Suitable for dietary management of subjects affected by phenylketonuria and hyperphenylalaninemia
FROM ONE YEAR



Net weight: 20x 33,3 g – 666 g
Food for special medical purposes

INGREDIENTS: Vegetable oils (maltodextrin, coconut oil, rapeseed oil, sunflower oil), Corn maltodextrin, Calcium glycerol phosphate, L-leucine, L-tyrosine, L-aspartic acid, glycine, L-lysine hydrochloride, Flavors, L- glutamine, L-proline, Potassium citrate, L-valine, L-arginine, L-threonine, L- isoleucine, Inulin, L-serine, Sodium citrate, Magnesium citrate, L-alanine, L- histidine, Calcium citrate, Choline bitartrate, L-methionine, L-tryptophan, Sodium chloride, L-cystine, Inositol, Ferrous bisglycinate, Vitamin C (L- ascorbic acid), Taurine, Vitamin E (DL alpha tocopherol acetate), Niacin (nicotinamide), Zinc chloride, Manganese gluconate, Pantothenic acid (D- pantothenate calcium), Cupric gluconate, L-carnitine L-tartrate, Vitamin B6 (pyridoxine hydrochloride), Vitamin B2 (riboflavin), Vitamin B1 (thiamin hydrochloride), Vitamin K (Sodium molybdate, Vitamin A (retinyl palmitate), Folic acid (pteroylmonoglutamic acid), Chromium picolinate, Potassium iodide, Sodium selenite, D-Biotin, Vitamin D (cholecalciferol), Vitamin B12 (cyanocobalamin).

INDICATION: Suitable for dietary management of subjects affected by phenylketonuria and hyperphenylalaninemia from one year old. Powdered phenylalanine free protein substitute, containing essential and non-essential amino acids, fats, carbohydrate, vitamins, minerals and trace elements.

IMPORTANT NOTICE: The product must be prescribed and used under medical control and it is intended for subjects aged one or above. It is not suitable for use as the sole source of nourishment and it is not suitable for parenteral use. The product should not be given to healthy children and adults.

DOSE AND INSTRUCTION FOR USE: The daily dose of the product must be determined by the physician and is dependent on the age, body weight and individual tolerance to phenylalanine. As standard dilution dissolve: 33,3 g in 150 ml of water: 10 g PE. Pour the water into a large and well-cleaned container, add the prescribed dose of powder and shake well until a homogeneous dispersion is obtained. The reconstituted product can be stored for a few hours. Throw away the unused product. Shake well before use.

STORAGE: Store in a cool dry place away from light and moisture. The expiry date refers to the unopened product, correctly stored. Once opened, use within 30 days.

Nutrients, per	100 g		
Energy	kJ	1586	L-Valine g 2,5
Energy	kcal	379	L-Carnitine mg 30
Fat	g	15	L-Taurine mg 80
of which saturates	g	9,4	Vitamins
monounsaturates	g	3,4	Vitamin A µg 600
polyunsaturates	g	2,2	Vitamin D µg 25
Linoleic acid	mg	1800	Vitamin E mg 10
α-linolenic acid	mg	400	Vitamin K µg 60
DHA	mg	0	Thiamin (B1) mg 0,8
ARA	mg	0	Riboflavin (B2) mg 1,2
Carbohydrates	g	31	Niacin (B3) mg 12
of which sugars	g	1	Panathotic ac. mg 5
GOS	g	0	Vitamin B6 mg 1,1
FOS	g	0	Biotin µg 23
Protein Equivalent	g	30	Folate µg 261
Salt	g	1,5	Vitamin B12 µg 2,8
Aminoacids			Vitamin C mg 60
L-Alanine	g	1,3	Choline mg 400
L-Arginine	g	2,2	Inositol mg 150
L-Aspartic ac.	g	3,3	Minerals
L-Cystine	g	0,3	Sodium mg 600
L-Phenylalanine	g	0	Calcium mg 1100
L-Glutamine	g	2,6	Potassium mg 900
Glycine	g	3,3	Phosphorus mg 700
L-Histidine	g	1,3	Chloride mg 400
L-Isoleucine	g	1,9	Magnesium mg 200
L-Leucine	g	3,8	Trace elements
L-Lysine	g	2,6	Iron mg 18
L-Methionine	g	0,8	Zinc mg 11
L-Proline	g	2,6	Manganese mg 1
L-Serine	g	1,6	Copper mg 0,9
L-Threonine	g	2,1	Iodine µg 150
L-Tyrosine	g	3,4	Molybdenum µg 45
L-Triphophan	g	0,7	Chromium µg 35
			Selenium µg 60