

# GLYTACTIN™ BUILD VANILLA FLAVOUR

Food for special medical purposes (FSMP)  
For the dietary management of Phenylketonuria (PKU) and hyperphenylalaninemia (HPA)  
**FROM 3 YEARS**



**NET WT: 667 g**

**Food for special medical purposes (FSMP). With sweetener.**

**Protein Powder with Vitamins and Minerals**

**5 mg Phe per 5 g Protein Equivalent**

**INGREDIENTS:** Glycomacropeptide (milk), L-arginine, L-leucine, L-tyrosine, sunflower oil, anti-foaming agent (soy lecithin), glycine, L-lysine acetate, contains less than 2% of L-histidine, L-tryptophan, DHA algal oil (derived from microalgae Schizochytrium sp.), maltodextrin, food starch modified, inulin, thickeners (guar gum, xanthan gum, carrageenan), salt, natural flavours, vitamin A palmitate, thiamin mononitrate, riboflavin, pyridoxine hydrochloride, D-calcium pantothenate, niacinamide, phytonadione, menaquinone-MK7, folic acid, biotin, cyanocobalamin, ascorbic acid, cholecalciferol, DL- $\alpha$ -tocopheryl acetate, calcium lactate, potassium phosphate, magnesium phosphate, ferrous fumarate, zinc sulphate, manganese sulphate, copper gluconate, potassium iodide, sodium selenite, sodium molybdate, chromium chloride, potassium chloride, canola oil, sweetener (sucralose), acidulants (citric acid, malic acid), sweetener (acesulfame potassium), Bacillus coagulans GBI-30 6086. Contains milk and soy.

**INDICATIONS:** For the Dietary Management of Phenylketonuria/Hyperphenylalaninemia. GLYTACTIN BUILD is a low-phenylalanine mixture based on glycomacropeptide (GMP), amino acids, vitamins, minerals, trace elements with docosahexaenoic acid (DHA).

**IMPORTANT NOTICE:** Must be administered under medical supervision only. Not suitable for use as a sole source of nourishment. Protein in prescribed amounts must be supplemented to completely meet phenylalanine requirements. For enteral use only. Not for parenteral use. Suitable for individuals with PKU over 3 years of age.

**DIRECTIONS FOR USE:** Use as directed by a physician. Must be administered under medical supervision only. Recommended dilution: 1 heaping scoop (approximately 8g powder) mixed with 30mL of water. For best results, weigh powder on a gram scale. Dilution may be adjusted to taste. Mixing recommendation: measure water in container, add prescribed amount of powder, and shake well until fully blended. Once prepared, product can be refrigerated for up to 24 hours. Shake well prior to use. Store pouch in a cool, dry place. Avoid extreme temperatures. Once pouch is opened, reseal.

	Nutrients, per		8 g scoop		100 g		
	8 g scoop	100 g	mg	0.12	1,5		
Energy	kcal	27	343				
Energy	kJ	115	1435				
Fat	g	0,5	6,2	Vitamin B6	µg	0,22	2,7
Saturated Fat	g	0,1	0,8	Folate	µg DFE	29	359
Trans Fat	g	0,0	0,0	Folic Acid	µg	17	211
DHA	mg	12	154	Vitamin B12	µg	0,22	2,7
Cholesterol	mg	0,1	0,8	Pantothenic Acid (B5)	mg	0,53	6,6
Carbohydrates	g	0,4	5,3	Biotin	µg	2,3	29
Sugar	g	0,1	1,0	Choline	mg	7,3	92
Sugar Alcohols	g	0,0	0,0	Calcium	mg	133	1665
Fibre	g	0,1	0,9	Chromium	µg	3,8	47
Protein Equivalent	g	4,8	60,0	Copper	µg	48	599
Phenylalanine	mg	5,0	62	Iodine	µg	16	206
Salt	g	0,16	2,0	Iron	mg	1,9	23
Vitamin A	µg RAE	79	985	Magnesium	mg	23	294
Vitamin C	mg	13	159	Manganese	mg	0,24	3,0
Vitamin D	µg	3,5	43	Molybdenum	µg	4,3	54
Vitamin E	mg $\alpha$ -TE	1,4	18	Phosphorus	mg	121	1508
Vitamin K1	µg	4,3	54	Selenium	µg	5,7	72
Vitamin K2 (MK-7)	µg	4,3	54	Zinc	mg	1,1	13
Thiamin (B1)	mg	0,12	1,5	Potassium	mg	135	1691
Riboflavin (B2)	mg	0,12	1,5	Sodium	mg	65	806
Niacin (B3)	mg NE	2,6	32	Chloride	mg	56	695
				Inositol	mg	0,0	0,0
				Osmolality	mOsm/kg		931
				pH			6,0